

Inventor: Daniel J. Dove Application No.: 10/829,522 Attorney Docket No.: 100202192-2

1/7




FIGURE 1

(BACKGROUND METHOD)

Inventor: Daniel J. Dove Application No.: 10/829,522 Attorney Docket No.: 100202192-2

2/7




FIGURE 2

(BACKGROUND METHOD)

Inventor: Daniel J. Dove Application No.: 10/829,522 Attorney Docket No.: 100202192-2

3/7




FIGURE 3

+


Inventor: Daniel J. Dove Application No.: 10/829,522 Attorney Docket No.: 100202192-2

4/7

· CONTACT	PHY	MDI		MDI-X	
1	B1_DA+	B1_DA+	<u>32</u>	B1_DB+	<u>34</u>
2	B1_DA-	B1_DA-	<u>32</u>	B1_DB-	<u>34</u>
3	B1_DB+	B1_DB+	<u>34</u>	B1_DA+	32
4	B1_DC+	B1_DC+		B1_DD+	
5	B1_DC-	B1_DC-		B1_DD-	
6	B1_DB-	B1_DB-	<u>34</u>	B1_DA-	32
7	B1_DD+	B1_DD+		B1_DC+	
8	B1_DD-	B1_DD-		B1_DC-	

FIGURE 4

Inventor: Daniel J. Dove Application No.: 10/829,522 Attorney Docket No.: 100202192-2



Inventor: Daniel J. Dove Application No.: 10/829,522

Application No.: 10/829,522 Attorney Docket No.: 100202192-2

6/7

Probability of Run Lenght




FIGURE 6

+

Inventor: Daniel J. Dove Application No.: 10/829,522 Attorney Docket No.: 100202192-2




FIGURE 7